

In 2017, 161 correctional facilities met the Texas Health & Safety Code Chapter 89 criteria and were required to report their TB screening activities in the form of a Monthly Correctional TB Report. This annual report highlights TB screening activities in your jail and compares results to all designated Texas Health & Safety Code Chapter 89 correctional facilities.

| Table 2: TB Screening Results January 1– December 31, 2017 | | | | |
|--|-------------------------------|---------------------------|------------------------------------|-------------------------|
| Van Zandt County Justice Center | Total at this Facility | % at this Facility | All Facilities (Chapter 89) | % All Facilities |
| INMATES | | | | |
| Number of Skin Test Administered | 546 | | 472,392 | |
| Number of Skin Test Read | 546 | 100% | 361,267 | 76% |
| Number of Positive Tuberculin Skin Test | 1 | 0.2% | 20,863 | 5.8% |
| Number of Chest X-rays Performed | 3 | | 37,581 | |
| Number of Conversions | 1 | | 1,498 | |
| Number of TB Suspects Reported | 1 | | 117 | |
| Number of Active TB Cases Reported | 0 | | 35 | |
| Number of TB Cases Transferred In | 0 | | 2 | |
| EMPLOYEES | | | | |
| Number of Skin Test Administered | 11 | | 14,335 | |
| Number of Skin Test Read | 11 | 100% | 13,918 | 97% |
| Number of Positive TST | 0 | 0% | 86 | 0.6% |
| Number of CXRs Performed | 0 | | 272 | |
| Number of Conversions | 0 | | 16 | |
| Number of TB Suspects Reported | 0 | | 0 | |
| Number of Active TB Cases Reported | 0 | | 0 | |

In 2017, there were 546 inmate tuberculin skin tests administered and read at Van Zandt County Justice Center. Of that number, 1 (0.2%) had a measurement of 10 mm or greater.

There were 11 employee tuberculin skin tests administered. Of that number, 0 (0%) had a measurement of 10 mm or greater.

There were one suspect and no cases reported in 2017 at Van Zandt County Justice Center.

All Monthly Correctional TB Reports were submitted for 2017 - 100%.